

INDEX OF AUTHORS

VOLUME 68, 1987

(The numbers followed by P refer to abstracts from Society Proceedings)

- Alho, K., Töttölä, K., Reinikainen, K., Sams, M. and Näätänen, R., Brain mechanism of selective listening reflected by event-related potentials, 458
- Artru, F., see Bertrand, O., 433
- Artru, F., see Garcia-Larrea, L., 446
- Bartel, P., Conradie, J., Robinson, E., Prinsloo, J. and Becker, P., The relationship between median nerve somatosensory evoked potential latencies and age and growth parameters in young children, 180
- Baumann, R., see Gilmore, R., 28
- Becker, P., see Bartel, P., 180
- Belsh, J.M. and Chokroverty, S., Short-latency somatosensory evoked potentials in brain-dead patients, 75
- Benderley, A., see Ken-Dror, A., 209
- Bertrand, O., Garcia-Larrea, L., Artru, F., Mauguière, F. and Pernier, J., Brain-stem monitoring. I. A system for high-rate sequential BAEP recording and feature extraction, 433
- Bertrand, O., see Garcia-Larrea, L., 446
- Bobak, P., Bodis-Wollner, I. and Guillory, S., The effect of blur and contrast on VEP latency: comparison between check and sinusoidal grating patterns, 247
- Bodis-Wollner, I., see Bobak, P., 247
- Bodis-Wollner, I., Feldman, R.G., Guillory, S.L. and Mylin, L., Delayed visual evoked potentials are independent of pattern orientation in macular disease, 172
- Bodis-Wollner, I. and Mylin, L., Plasticity of monocular and binocular vision following cerebral blindness: evoked potential evidence, 70
- Bourguet, M., see Desmedt, J.E., 1
- Brock, J., see Gilmore, R., 28
- Burrows, F.A., see Keenan, N.K., 241
- Bursick, D., see Guthkelch, A.N., 219
- Butler, S.R., Georgiou, G.A., Glass, A., Hancox, R.J., Hopper, J.M. and Smith, K.R.H., Cortical generators of the CI component of the pattern-onset visual evoked potential, 256
- Cadilhac, J., see Zhu, Y., 471
- Caird, D.M. and Klinke, R., The effect of inferior colliculus lesions on auditory evoked potentials, 237
- Campbell, K.B., see Picton, T.W., 119
- Caramia, M., see Gigli, G.L., 424
- Caramia, M., see Rossini, P.M., 88
- Carroll, G.J., Comparison of median and radial nerve sensory latencies in the electrophysiological diagnosis of carpal tunnel syndrome, 101
- Cartee, C., see Kraus, N., 234
- Ceslea, G.G., Kaufman, D. and Cone, S., Effects of age and sex on pattern electroretinograms and visual evoked potentials, 161
- Chanal, J.M., see Collet, L., 231
- Chiappa, K.H., see Oken, B.S., 153
- Chimento, T.C., Williston, J.S., Jewett, D.L. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. VIII. Isolated frog sciatic nerve in a volume conductor, 380
- Chokroverty, S., see Belsh, J.M., 75
- Clayworth, C.C., see Woods, D.L., 132, 202
- Cohen, L.G., see Tapia, M.C., 226
- Coles, J.G., see Keenan, N.K., 241
- Collet, L., Delorme, C., Chanal, J.M., Dubreuil, C., Morgon, A. and Salle, B., Effect of stimulus intensity variation on brain-stem auditory evoked potentials: comparison between neonates and adults, 231
- Cone, S., see Ceslea, G.G., 161
- Conradie, J., see Bartel, P., 180
- Côté, R., see Thivierge, J., 479
- Cracco, J.B., see Pelosi, L., 287
- Cracco, R.Q., see Pelosi, L., 287
- Daube, J.R., see Veilleux, M., 415
- Delorme, C., see Collet, L., 231
- Desmedt, J.E., Nguyen, T.H. and Bourguet, M., Bit-mapped color imaging of human evoked potentials with reference to the N20, P22, P27 and N30 somatosensory responses, 1
- Dubreuil, C., see Collet, L., 231
- Durrant, J.D., Pattern-reversal auditory evoked potential, 157
- Eisen, A., see Goodridge, A., 268
- Elidan, J., Langhofer, L. and Honrubia, V., Recording of short-latency vestibular evoked potentials induced by acceleration impulses in experimental animals: current status of the method and its applications, 58
- Feldman, R.G., see Bodis-Wollner, I., 172

- Fleming, P.J., see Stanley, O.H., 149
 Freedman, M.H., see Taylor, M.J., 81
- Gallant, T., see Taylor, M.J., 81
 Garcia-Larrea, L., see Bertrand, O., 433
 Garcia-Larrea, L., Bertrand, O., Artur, F., Pernier, J. and Mauguière, F., Brain-stem monitoring. II. Preterminal BAEP changes observed until brain death in deeply comatose patients, 446
 Gardi, J.N., see Chimento, T.C., 380
 Gardi, J.N., see Jewett, D.L., 323, 327, 333, 341, 349
 Gardi, J.N., see Sininger, Y.S., 368
 Gardi, J.N., Sininger, Y.S., Martin, W.H., Jewett, D.L. and Morledge, D.E., The 3-channel Lissajous' trajectory of the auditory brain-stem response. VI. Effects of lesions in the cat, 360
 Georgesco, M., see Zhu, Y., 471
 Georgiou, G.A., see Butler, S.R., 256
 Gigli, G.L., Caramia, M., Marciani, M.G., Zarola, F., Lavaroni, F. and Rossini, P.M., Monitoring of subcortical and cortical somatosensory evoked potentials during carotid endarterectomy: comparison with stump pressure levels, 424
 Gigli, G.L., see Rossini, P.M., 88
 Gill, E., see Oken, B.S., 153
 Gilmore, R., Brock, J., Hermansen, M.C. and Baumann, R., Development of lumbar spinal cord and cortical evoked potentials after tibial nerve stimulation in the pre-term newborns: effects of gestational age and other factors, 28
 Glass, A., see Butler, S.R., 256
 Goff, W.R., see Greenwood, P.M., 295
 Goodridge, A., Eisen, A. and Hoirsch, M., Paraspinal stimulation to elicit somatosensory evoked potentials: an approach to physiological localization to spinal lesions, 268
 Greenwood, P.M. and Goff, W.R., Modification of median nerve somatic evoked potentials by prior median nerve, peroneal nerve, and auditory stimulation, 295
 Guillory, S., see Bobak, P., 247
 Guillory, S.L., see Bodis-Wollner, I., 172
 Guthkelch, A.N., Bursick, D. and Scabassi, R.J., The relationship of the latency of the visual P100 wave to gender and head size, 219
- Hancox, R.J., see Butler, S.R., 256
 Hermansen, M.C., see Gilmore, R., 28
 Hoirsch, M., see Goodridge, A., 268
 Honrubia, V., see Elidan, J., 58
 Hopper, J.M., see Butler, S.R., 256
- Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. IX. Theoretical aspects, 386
 Jewett, D.L., see Chimento, T.C., 380
 Jewett, D.L., see Gardi, J.N., 360
 Jewett, D.L., see Martin, W.H., 327, 333, 341, 349
 Jewett, D.L., Martin, W.H., Sininger, Y.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. I. Introduction and overview, 323
 Jewett, D.L., see Sininger, Y.S., 368
- Kakigi, R., The effect of aging on somatosensory evoked potentials following stimulation of the posterior tibial nerve in man, 277
 Katayama, Y. and Tsubokawa, T., Somatosensory evoked potentials from the thalamic sensory relay nucleus (VLP) in humans: correlations with short latency somatosensory evoked potentials recorded at the scalp, 187
 Katzir, J., see Ken-Dror, A., 209
 Kaufman, D., see Cesia, G.G., 161
 Keenan, N.K. see Taylor, M.J., 81
 Keenan, N.K., Taylor, M.J., Coles, J.G., Prieur, B.J. and Burrows, F.A., The use of VEPs of CNS monitoring during continuous cardiopulmonary bypass and circulatory arrest, 241
 Ken-Dror, A., Pratt, H., Zeltzer, M., Sujov, P., Katzir, J. and Benderley, A., Auditory brain-stem evoked potentials to clicks at different presentation rates: estimating maturation of pre-term and full-term neonates, 209
 Keränen, T., see Mervaa, E., 475
 Klinke, R., see Caird, D.M., 237
 Knight, R.T., see Woods, D.L., 132
 Kramer, J.H., see Woods, D.L., 202
 Kraus, N., Reed, N., Smith, D.I., Stein, L. and Cartee, C., High-pass filter settings affect the detectability of MLRs in humans, 234
 Kwee, I., see Woods, D.L., 202
- Langhofer, L., see Elidan, J., 58
 Lasky, R.E., Rupert, A. and Waller, M., Reproducibility of auditory brain-stem evoked responses as a function of the stimulus, scorer and subject, 45
 Lavaroni, F., see Gigli, G.L., 424
 Logan, W.J., see Taylor, M.J., 81
- MacMillan, L.J., see Taylor, M.J., 20
 Marciani, M.G., see Gigli, G.L., 424
 Marciani, M.G., see Rossini, P.M., 88
 Martin, W.H., Gardi, J.N. and Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. V. Effects of stimulus intensity in the cat, 349
 Martin, W.H., Jewett, D.L., Randolph, M.G., Williston, J.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. IV. Effects of electrode position in the cat, 341
 Martin, W.H., Jewett, D.L., Williston, J.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. III. Formation, analysis and reliability of planar segments in the cat, 333
 Martin, W.H., Sininger, Y.S., Jewett, D.L., Gardi, J.N. and Morris, III, J.H., The 3-channel Lissajous' trajectory of the auditory brain-stem response. II. Methodology, 327
 Martin, W.H., see Gardi, J.N., 360
 Martin, W.H., see Jewett, D.L., 323
 Martin, W.H., see Sininger, Y.S., 368
 Mauguière, F., see Bertrand, O., 433
 Mauguière, F., see Garcia-Larrea, L., 446
 Menzies, R., see Taylor, M.J., 20

- Mervaala, E., Keränen, T., Tiihonen, F. and Riekkinen, P., The effects of carbamazepine and sodium valproate on SEPs and BAEPs, 475
- Molaie, M., Scalp-recorded short and middle latency peroneal somatosensory evoked potentials in normals: comparison with peroneal and median nerve SEPs in patients with unilateral hemispheric lesions, 107
- Morgan, M.H., see Stanley, O.H., 149
- Morgon, A., see Collet, L., 231
- Morin, E., Scott, R.N. and Parker, P.A., Characterization and processing of surface recorded spinal somatosensory evoked potentials, 40
- Morledge, D.E., see Gardi, J.N., 360
- Morris, III, J.H., see Martin, W.H., 327
- Morris, III, J.H., see Sininger, Y.S., 368
- Mylin, L., see Bodis-Wollner, I., 70, 172
- Näätänen, R., see Alho, K., 458
- Naeser, M.A., see Woods, D.L., 132
- Nakada, T., see Woods, D.L., 202
- Nguyen, T.H., see Desmedt, J.E., 1
- Oken, B.S., Chiappa, K.H. and Gill, E., Normal temporal variability of the P100, 153
- Parker, P.A., see Morin, E., 40
- Pearce, J.M., see Whyte, H.E., 223
- Pelosi, L., Cracco, J.B. and Cracco, R.Q., Conduction characteristics of somatosensory evoked potentials to peroneal, tibial and sural nerve stimulation in man, 287
- Pernier, J., see Bertrand, O., 433
- Pernier, J., see Garcia-Larrea, L., 446
- Picton, T.W., Vajsar, J., Rodriguez, R. and Campbell, K.B., Reliability estimates for steady-state evoked potentials, 119
- Polich, J., Task difficulty, probability, and inter-stimulus interval as determinants of P300 from auditory stimuli, 311
- Pratt, H., see Ken-Dror, A., 209
- Prieur, B.J., see Keenan, N.K., 241
- Prinsloo, J., see Bartel, P., 180
- Randolph, M.G., see Martin, W.H., 341
- Reed, N., see Kraus, N., 234
- Reinikainen, K., see Alho, K., 458
- Riekkinen, P., see Mervaala, E., 475
- Robinson, E., see Bartel, P., 180
- Rodriguez, R., see Picton, T.W., 119
- Rossini, P.M., see Gigli, G.L., 424
- Rossini, P.M., Gigli, G.L., Marciani, M.G., Zarola, F. and Caramia, M., Non-invasive evaluation of input-output characteristics of sensorimotor cerebral areas in healthy humans, 88
- Rupert, A., see Lasky, R.E., 45
- Salle, B., see Collet, L., 231
- Sams, M., see Alho, K., 458
- Sclabassi, R.J., see Guthkelch, A.N., 219
- Scott, R.N., see Morin, E., 40
- Shah, D., The 3-channel Lissajous' trajectory of the auditory brain-stem response. X. Proof that a rotating dipole generates planar data sequences, 409
- Shucard, D.Wm., Shucard, J.L. and Thomas, D.G., Auditory event-related potentials in waking infants and adults: a developmental perspective, 303
- Shucard, J.L., see Shucard, D.Wm., 303
- Simpson, G.V., see Woods, D.L., 132
- Sininger, Y.S., see Gardi, J.N., 360
- Sininger, Y.S., Gardi, J.N., Morris, III, J.H., Martin, W.H. and Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. VII. Planar segments in humans, 368
- Sininger, Y.S., see Jewett, D.L., 323
- Sininger, Y.S., see Martin, W.H., 327
- Skarf, B., see Taylor, M.J., 81
- Smith, D.I., see Kraus, N., 234
- Smith, K.R.H., see Butler, S.R., 256
- Stanley, O.H., Fleming, P.J. and Morgan, M.H., Developmental wave form analysis of the neonatal flash evoked potential, 149
- Starr, A., see Tapia, M.C., 226
- Stein, L., see Kraus, N., 234
- Sujov, P., see Ken-Dror, A., 209
- Tapia, M.C., Cohen, L.G. and Starr, A., Selectivity of attenuation (i.e., gating) of somatosensory potentials during voluntary movement in humans, 226
- Taylor, M.J., see Keenan, N.K., 241
- Taylor, M.J., Keenan, N.K., Gallant, T., Skarf, B., Freedman, M.H. and Logan, W.J., Subclinical VEP abnormalities in patients on chronic deferoxamine therapy: longitudinal studies, 81
- Taylor, M.J., Menzies, R., MacMillan, L.J. and Whyte, H.E., VEPs in normal full-term and premature neonates: longitudinal versus cross-sectional data, 20
- Taylor, M.J., see Whyte, H.E., 223
- Thivierge, J. and Côté, R., Brain-stem auditory evoked response (BAER): normative study in children and adults, 479
- Thomas, D.G., see Shucard, D. Wm., 303
- Tiihonen, F., see Mervaala, E., 475
- Töttölä, K., see Alho, K., 458
- Tsubokawa, T., see Katayama, Y., 187
- Vajsar, J., see Picton, T.W., 119
- Veilleux, M. and Daube, J.R., The value of ulnar somatosensory evoked potentials (SEPs) in cervical myelopathy, 415
- Waller, M., see Lasky, R.E., 45
- Whyte, H.E., Pearce, J.M. and Taylor, M.J., Changes in the VEP in preterm neonates with arousal states, as assessed by EEG monitoring, 223
- Whyte, H.E., see Taylor, M.J., 20
- Williston, J.S., see Chimento, T.C., 380
- Williston, J.S., see Martin, W.H., 333, 341

- Woods, D.L., Clayworth, C.C., Knight, R.T., Simpson, G.V. and Naeser, M.A., Generators of middle- and long-latency auditory evoked potentials: implications from studies of patients with bitemporal lesions, 132
- Woods, D.L., Kwee, I., Clayworth, C.C., Kramer, J.H. and Nakada, T., Sensory and cognitive evoked potentials in a case of congenital hydrocephalus, 202
- Zarola, F., see Gigli, G.L., 424
- Zarola, F., see Rossini, P.M., 88
- Zeltzer, M., see Ken-Dror, A., 209
- Zhu, Y., Georgesco, M. and Cadilhac, J., Normal latency values of early cortical somatosensory evoked potentials in children, 471

INDEX OF SUBJECTS

VOLUME 68 (EP), 1987

(Abstracts from Society Proceedings are not included)

Afferent activity

- human SEP and AEP interactions, 295

Age

- and stimulus intensity effects on BAEPs, 231
- effects on pattern ERGs and VEPs, 161
- effects on tibial nerve SEPs, 277

Antiepileptic drug effects on SEPs and BAEPs, 475

Arousal

- sleep state and VEPs in neonates, 223

Artifact

- BAEPs in brain-stem monitoring, 433

Attention

- selective listening and ERPs, 458

Auditory nerve

- lesion effects on the cat 3-CLT of BAEPs, 360

Auditory responses

- and bitemporal lesions, 132
- and colliculus lesions, 237
- detectability of MLRs, 234
- ERPs in infants and adults, 303
- human SEP and AEP interactions, 295
- in congenital hydrocephalus, 202
- pattern-reversal AEPs, 157
- probability, task difficulty and P300, 311
- reliability estimates for steady-state EPs, 119
- selective listening and ERPs, 458
- *see also* Brain-stem auditory potentials

Automatic peak detection

- BAEPs in brain-stem monitoring, 433

Averaging

- bit-mapped imaging of human SEPs, 1
- surface recorded SEP processing, 40

BAEPs, *see* Brain-stem auditory potentials

Blindness

- plasticity of vision after cerebral blindness, 70

Book reviews, 79

Brain death

- and short-latency SEPs, 75
- brain-stem monitoring in coma, 446

Brain-stem

- BAEPs in brain-stem monitoring, 433
- colliculus lesions and AEPs, 237
- lesion effect on cat BAEPs, 360

- SEPs in human thalamic VPL and lemniscus medialis, 187

Brain-stem auditory potentials

- brain-stem monitoring in coma, 446
- carbamazepine and valproate effects, 475
- cat planar segments of BAEP 3-CLT, 333
- electrode position in the cat BAEP 3-CLT, 341
- human planar segments of BAEP 3-CLT, 368
- in brain-stem monitoring, 433
- lesion effect on cat BAEP 3-CLT, 360
- maturation and rate effect, 209
- methodology of BAEP 3-CLT, 327
- normative data in children and adults, 479
- overview of BAEP 3-CLT, 323
- references concerning BAEP 3-CLT, 412
- reproducibility, 45
- rotating dipoles of BAEP 3-CLT, 409
- stimulus intensity and age effect, 231
- stimulus intensity effect on cat BAEP 3-CLT, 349
- theory of BAEP 3-CLT, 386
- *see also* Lissajous' trajectories

Carbamazepine effects on SEPs and BAEPs, 475

Cardiac surgery

- use of VEPs for CNS monitoring, 241

Carotid endarterectomy and SEP monitoring, 424

Carpal tunnel syndrome diagnosis, 101

Cerebral cortex

- cortical generators of pattern-onset VEP, 256
- input-output of sensorimotor cortex in man, 88

Cervical radiculopathy and ulnar SEPs, 415

Children

- auditory ERPs, 303
- early SEPs, 471
- median nerve stimulation, 180
- normative BAEPs, 479
- use of VEPs for CNS monitoring, 241

Circulation

- SEP monitoring during carotid endarterectomy, 424

Cognitive processes

- EPs in congenital hydrocephalus, 202

Colliculus lesions and AEPs, 237

Coma

- brain-stem monitoring, 446

Conduction velocity

- diagnosis of carpal tunnel syndrome, 101
 - of spine and scalp SEPs, 287
 - paraspinal SEPs and spinal lesions, 268
- Cortical dipole generators
- bit-mapped imaging of human SEPs, 1

Deep structures

- colliculus lesions and AEPs, 237
 - SEPs from the thalamic VPL in humans, 187
- Deferoxamine and subclinical VEP abnormalities, 81
- Development, *see* Maturation

Diagnosis

- of carpal tunnel syndrome, 101
- ulnar SEPs in cervical myelopathy, 415

Digital filtering, *see* Filtering

Discrimination

- selective listening and ERPs, 458

Electrode position in the cat BAEP 3-CLT, 341

Epilepsy

- antiepileptic drug effects on SEPs and BAEPs, 475

ERG

- aging and sex effects, 161

Event-related potentials

- auditory ERPs in infants and adults, 303
- P300, probability, task difficulty, 311
- selective listening, 458

Field potentials

- bit-mapped imaging of human SEPs, 1

Filtering

- BAEPs in brain-stem monitoring, 433
- detectability of MLRs, 234
- surface recorded SEP processing, 40

Generators

- bit-mapped imaging of human SEPs, 1
- input-output of sensorimotor cortex in man, 88
- lesion effect on cat BAEP 3-CLT, 360
- of pattern-onset VEP, 256
- rotating dipoles of BAEP 3-CLT, 409
- short-latency SEPs in brain-dead patients, 75
- theory of BAEP 3-CLT, 386

Hemispheric lesions and SEPs, 107

Hydrocephalus, sensory and cognitive EPs, 202

Hypothermia

- use of VEPs for CNS monitoring, 241

Imaging

- bit-mapped imaging of human SEPs, 1

Interstimulus interval

- auditory P300, probability, task difficulty, 311

Ischemia

- SEP monitoring during carotid endarterectomy, 424

Lesions

- colliculus lesions and AEPs, 237
 - lesion effect on cat BAEP 3-CLT, 360
 - paraspinal SEPs and spinal lesions, 268
 - reliability estimates for steady-state EPs, 119
 - SEPs in patients with hemispheric lesions, 107
- Lissajous' trajectories
- cat planar segments of BAEP 3-CLT, 333
 - electrode position of the cat BAEP 3-CLT, 341
 - human planar segments of BAEP 3-CLT, 368
 - lesion effect on cat BAEP 3-CLT, 360
 - methodology of BAEP 3-CLT, 327
 - overview of BAEP 3-CLT, 323
 - references concerning BAEP 3-CLT, 412
 - rotating dipoles of BAEP 3-CLT, 409
 - sciatic nerve 3-CLT, 380
 - stimulus intensity effect on cat BAEP 3-CLT, 349
 - theory of BAEP 3-CLT, 386
- Listening and ERPs, 458

Mapping, *see* Topographical analysis

Maturation

- and pattern ERGs and VEPs, 161
- auditory ERPs, 303
- early SEPs, 471
- median nerve stimulation in young children, 180
- of BAEPs, rate effect, 209
- of VEPs in normal full-term and premature neonates, 20
- SEPs to tibial nerve stimulation, 28
- wave form analysis of the flash VEP, 149
- *see also* Retardation

Median nerve

- diagnosis of carpal tunnel syndrome, 101
- gating of SEPs during voluntary movement, 226
- human SEP and AEP interactions, 295
- SEPs in patients with hemispheric lesions, 107
- SEPs from the thalamic VPL in humans, 187
- stimulation in young children, 180
- ulnar SEPs in cervical myelopathy, 415

Methodology of BAEP 3-CLT, 327

Models

- theory of BAEP 3-CLT, 386

Monitoring

- BAEPs in brain-stem monitoring, 433
- brain-stem monitoring in coma, 446
- SEP monitoring during carotid endarterectomy, 424
- use of VEPs for CNS monitoring, 241

Motor activity

- gating of SEPs during voluntary movement, 226

Motor cortex

- bit-mapped imaging of human SEPs, 1
- input-output of sensorimotor cortex in man, 88

Movement

- gating of SEPs during voluntary movement, 226

Myelopathy

- ulnar SEPs in cervical myelopathy, 415

Neonates

- age effect on BAEPs, 231
- maturation of BAEPs, rate effect, 209
- reproducibility of BAEPs, 45
- VEPs in normal full-term and premature neonates, 20
- wave form analysis of the flash VEP, 149
- *see also* Preterm infants

Nerve

- diagnosis of carpal tunnel syndrome, 101
- *see also* Conduction velocity

Neurological disorders

- EPs in congenital hydrocephalus, 202
- ulnar SEPs in cervical myelopathy, 415

Neurotoxicity of drugs

- VEP abnormalities after deferoxamine, 81
- Normative BAEPs in children and adults, 479

Occipital cortex

- cortical generators of pattern-onset VEP, 256

Optic neuropathy

- VEPs and pattern orientation in macular disease, 172

Pattern

- aging and sex effects on pattern ERGs and VEPs, 161
- cortical generators of pattern-onset VEP, 256
- orientation in macular disease, 172
- sex and head size effect on pattern visual P100, 219
- Pattern reversal AEPs, 157

Peroneal nerve

- conduction characteristics of spine and scalp SEPs, 287
- human SEP and AEP interactions, 295
- SEPs in patients with hemispheric lesions, 107

Plasticity of vision after cerebral blindness, 70

Preterm infants

- and VEPs, 20
- effects of sleep state on VEPs, 223
- maturation of BAEPs, rate effect, 209
- SEPs to tibial nerve stimulation, 28

P100

- normal temporal variability, 153
- sex and head size effects, 219
- P300, probability and task difficulty, 311

Radial nerve

- diagnosis of carpal tunnel syndrome, 101

Radiculopathy

- ulnar SEPs in cervical myelopathy, 415

Retardation

- wave form analysis of the neonatal flash VEP, 149

Retina

- aging and sex effects on pattern ERGs and VEPs, 161
- delayed VEPs in macular disease, 172
- pattern orientation in macular disease, 172

Scalp recording

- aging effect on tibial nerve SEPs, 277
- conduction characteristics of SEPs, 287

Sciatic nerve 3-CLT, 380

Sensorimotor cortex input-output in man, 88

Sensory responses

- diagnosis of carpal tunnel syndrome, 101
- EPs in congenital hydrocephalus, 202
- gating of SEPs during voluntary movement, 226

Sex

- and aging effects on pattern ERGs and VEPs, 161
- and aging effects on tibial nerve SEPs, 277
- and head size effect on pattern visual P100, 219

Signal-to-noise ratio

- reliability estimates for steady-state EPs, 119
- surface recorded SEP processing, 40

Sleep

- effects of sleep state on VEPs in neonates, 223
- reliability estimates for steady-state EPs, 119

Smoking

- wave form analysis of the neonatal flash VEP, 149

Sodium valproate effects on SEPs and BAEPs, 475

Somatosensory potentials

- aging effect on tibial nerve SEPs, 277
- bit-mapped imaging of human SEPs, 1
- carbamazepine, valproate, SEPs and BAEPs, 475
- conduction characteristics of spine and scalp SEPs, 287
- early SEPs in children, 471
- from the thalamic VPL in humans, 187
- gating of SEPs during voluntary movement, 226
- human SEP and AEP interactions, 295
- in normals and patients with hemispheric lesions, 107
- in normal full-term and premature neonates, 20
- input-output of sensorimotor cortex in man, 88
- median nerve stimulation in young children, 180
- monitoring during carotid endarterectomy, 424
- paraspinal SEPs and spinal lesions, 268
- sciatic nerve 3-CLT, 380
- short-latency SEPs in brain-dead patients, 75
- surface recorded SEP processing, 40
- ulnar SEPs in cervical myelopathy, 415

Source

- cortical generators of pattern-onset VEP, 256

Spatial frequency in macular disease, 172

- effect of blur and contrast on VEP latency, 247

Spinal cord

- aging effect on tibial nerve SEPs, 277
- conduction characteristics of SEPs, 287
- paraspinal SEPs and spinal lesions, 268
- surface recorded SEP processing, 40

Stature

- median nerve stimulation in young children, 180

Steady-state EPs, reliability estimates, 119

Subclinical VEP abnormalities after deferoxamine, 81

Sural nerve

- conduction characteristics of SEPs, 287

Task difficulty, auditory P300, probability, 311

Temporal lobe

- reliability estimates for steady-state EPs, 119

Thalamus

- SEPs from the thalamic VPL in humans, 187

Tibial nerve

- aging effect on SEPs, 277
- conduction characteristics of SEPs, 287
- SEPs in premature neonates, 28
- ulnar SEPs in cervical myelopathy, 415

Topographical analysis

- bit-mapped imaging of human SEPs, 1
- input-output of sensorimotor cortex in man, 88

Ulnar SEPs in cervical myelopathy, 415**Vestibular**

- short-latency vestibular EPs, 58

Vision plasticity after cerebral blindness, 70**Visual evoked potentials**

- aging and sex effects on ERGs and VEPs, 161
- and pattern orientation in macular disease, 172
- cortical generators of pattern-onset VEP, 256
- effect of blur and contrast on VEP latency, 247
- effect of sleep state in neonates, 223
- in congenital hydrocephalus, 202
- in normal full-term and premature neonates, 20
- normal temporal variability of the P100, 153
- plasticity of vision after cerebral blindness, 70
- sex and head size effect on P100, 219
- subclinical VEP abnormalities after deferoxamine, 81
- use of VEPs for CNS monitoring, 241
- wave form analysis of the neonatal flash VEP, 149
- *see also* Pattern

Voluntary movement

- gating of SEPs, 226






TABLE OF CONTENTS

VOLUME 68 (EP), 1987

MAIN ARTICLES

Bit-mapped color imaging of human evoked potentials with reference to the N20, P22, P27 and N30 somatosensory responses (EEG 01883)	
by J.E. Desmedt, T.H. Nguyen and M. Bourguet (Belgium)	1
VEPs in normal full-term and premature neonates: longitudinal versus cross-sectional data (EEG 03120)	
by M.J. Taylor, R. Menzies, L.J. MacMillan and H.E. Whyte (Canada)	20
Development of lumbar spinal cord and cortical evoked potentials after tibial nerve stimulation in the pre-term newborns: effects of gestational age and other factors (EEG 03137)	
by R. Gilmore, J. Brock, M.C. Hermansen and R. Baumann (U.S.A.)	28
Characterization and processing of surface recorded spinal somatosensory evoked potentials (EEG 03156)	
by E. Morin, R.N. Scott and P.A. Parker (Canada)	40
Reproducibility of auditory brain-stem evoked responses as a function of the stimulus, scorer and subject (EEG 03040)	
by R.E. Lasky, A. Rupert and M. Waller (U.S.A.)	45
Recording of short-latency vestibular evoked potentials induced by acceleration impulses in experimental animals: current status of the method and its applications (EEG 03178)	
by J. Elidan, L. Langhofer and V. Honrubia (U.S.A.)	58
Subclinical VEP abnormalities in patients on chronic deferoxamine therapy: longitudinal studies (EEG 03169)	
by M.J. Taylor, N.K. Keenan, T. Gallant, B. Skarf, M.H. Freedman and W.J. Logan (Canada)	81
Non-invasive evaluation of input-output characteristics of sensorimotor cerebral areas in healthy humans (EEG 01811)	
by P.M. Rossini, G.L. Gigli, M.C. Marciani, F. Zarola and M. Caramia (Italy)	88
Comparison of median and radial nerve sensory latencies in the electrophysiological diagnosis of carpal tunnel syndrome (EEG 03063)	
by G.J. Carroll (New Zealand)	101
Scalp-recorded short and middle latency peroneal somatosensory evoked potentials in normals: comparison with peroneal and median nerve SEPs in patients with unilateral hemispheric lesions (EEG 03111)	
by M. Molaie (U.S.A.)	107
Reliability estimates for steady-state evoked potentials (EEG 03192)	
by T.W. Picton, J. Vajsar, R. Rodriguez and K.B. Campbell (Canada)	119
Generators of middle- and long-latency auditory evoked potentials: implications from studies of patients with bitemporal lesions (EEG 03037)	
by D.L. Woods, C.C. Clayworth, R.T. Knight, G.V. Simpson and M.A. Naeser (U.S.A.)	132
Effects of age and sex on pattern electroretinograms and visual evoked potentials (EEG 03251)	
by G.G. Celesia, D. Kaufman and S. Cone (U.S.A.)	161
Delayed visual evoked potentials are independent of pattern orientation in macular disease (EEG 03247)	
by I. Bodis-Wollner, R.G. Feldman, S.L. Guillory and L. Mylin (U.S.A.)	172
The relationship between median nerve somatosensory evoked potential latencies and age and growth parameters in young children (EEG 01891)	
by P. Bartel, J. Conradie, E. Robinson, J. Prinsloo and P. Becker (South Africa)	180
Somatosensory evoked potentials from the thalamic sensory relay nucleus (VPL) in humans: correlations with short latency somatosensory evoked potentials recorded at the scalp (EEG 03189)	
by Y. Katayama and T. Tsubokawa (Japan)	187
Sensory and cognitive evoked potentials in a case of congenital hydrocephalus (EEG 03206)	
by D.L. Woods, I. Kwee, C.C. Clayworth, J.H. Kramer and T. Nakada (U.S.A.)	202
Auditory brain-stem evoked potentials to clicks at different presentation rates: estimating maturation of pre-term and full-term neonates (EEG 01879)	
by A. Ken-Dror, H. Pratt, M. Zeltzer, P. Sujov, J. Katzir and A. Benderley (Israel)	209

The use of VEPs for CNS monitoring during continuous cardiopulmonary bypass and circulatory arrest (EEG 03309)	
by N.K. Keenan, M.J. Taylor, J.G. Coles, B.J. Prieur and F.A. Burrows (Canada)	241
The effect of blur and contrast on VEP latency: comparison between check and sinusoidal grating patterns (EEG 03167)	
by P. Bobak, I. Bodis-Wollner and S. Guillery (U.S.A.)	247
Cortical generators of the CI component of the pattern-onset visual evoked potential (EEG 01890)	
by S.R. Butler, G.A. Georgiou, A. Glass, R.J. Hancox, J.M. Hopper and K.R.H. Smith (U.K.)	256
Paraspinal stimulation to elicit somatosensory evoked potentials: an approach to physiological localization of spinal lesions (EEG 03257)	
by A. Goodridge, A. Eisen and M. Hoirsch (Canada)	268
The effect of aging on somatosensory evoked potentials following stimulation of the posterior tibial nerve in man (EEG 03261)	
by R. Kakigi (Japan)	277
Conduction characteristics of somatosensory evoked potentials to peroneal, tibial and sural nerve stimulation in man (EEG 03255)	
by L. Pelosi, J.B. Cracco and R.Q. Cracco (U.S.A.)	287
Modification of median nerve somatic evoked potentials by prior median nerve, peroneal nerve, and auditory stimulation (EEG 03262)	
by P.M. Greenwood and W.R. Goff (U.S.A.)	295
Auditory event-related potentials in waking infants and adults: a developmental perspective (EEG 03214)	
by D.Wm. Shucard, J.L. Shucard and D.G. Thomas (U.S.A.)	303
Task difficulty, probability, and inter-stimulus interval as determinants of P300 from auditory stimuli (EEG 03277)	
by J. Polich (U.S.A.)	311
The 3-channel Lissajous' trajectory of the auditory brain-stem response. I. Introduction and overview (EEG 02070)	
by D.L. Jewett, W.H. Martin, Y.S. Sininger and J.N. Gardi (U.S.A.)	323
The 3-channel Lissajous' trajectory of the auditory brain-stem response. II. Methodology (EEG 02071)	
by W.H. Martin, Y.S. Sininger, D.L. Jewett, J.N. Gardi and J.H. Morris, III (U.S.A.)	327
The 3-channel Lissajous' trajectory of the auditory brain-stem response. III. Formation, analysis, and reliability of planar segments in the cat (EEG 02072)	
by W.H. Martin, D.L. Jewett, J.S. Williston and J.N. Gardi (U.S.A.)	333
The 3-channel Lissajous' trajectory of the auditory brain-stem response. IV. Effects of electrode position in the cat (EEG 02073)	
by W.H. Martin, D.L. Jewett, M.G. Randolph, J.S. Williston and J.N. Gardi (U.S.A.)	341
The 3-channel Lissajous' trajectory of the auditory brain-stem response. V. Effects of stimulus intensity in the cat (EEG 02074)	
by W.H. Martin, J.N. Gardi and D.L. Jewett (U.S.A.)	349
The 3-channel Lissajous' trajectory of the auditory brain-stem response. VI. Effects of lesions in the cat (EEG 02075)	
by J.N. Gardi, Y.S. Sininger, W.H. Martin, D.L. Jewett and D.E. Morledge (U.S.A.)	360
The 3-channel Lissajous' trajectory of the auditory brain-stem response. VII. Planar segments in humans (EEG 02076)	
by Y.S. Sininger, J.N. Gardi, J.H. Morris, III, W.H. Martin and D.L. Jewett (U.S.A.)	368
The 3-channel Lissajous' trajectory of the auditory brain-stem response. VIII. Isolated frog sciatic nerve in a volume conductor (EEG 02077)	
by T.C. Chimento, J.S. Williston, D.L. Jewett and J.N. Gardi (U.S.A.)	380
The 3-channel Lissajous' trajectory of the auditory brain-stem response. IX. Theoretical aspects (EEG 02078)	
by D.L. Jewett (U.S.A.)	386
The 3-channel Lissajous' trajectory of the auditory brain-stem response. X. Proof that a rotating dipole generates planar data sequences (EEG 02079)	
by D. Shah (U.S.A.)	409
The 3-channel Lissajous' trajectory of the auditory brain-stem response. XI. References (EEG 02080)	
by D.L. Jewett (U.S.A.)	412
The value of ulnar somatosensory evoked potentials (SEPs) in cervical myelopathy (EEG 03328)	
by M. Veilleux and J.R. Daube (U.S.A.)	415
Monitoring of subcortical and cortical somatosensory evoked potentials during carotid endarterectomy: comparison with stump pressure levels (EEG 01837)	
by G.L. Gigli, M. Caramia, M.G. Marciani, F. Zarola, F. Lavaroni and P.M. Rossini (Italy)	424
Brain-stem monitoring. I. A system for high-rate sequential BAEP recording and feature extraction (EEG 01884)	
by O. Bertrand, L. Garcia-Larrea, F. Artru, F. Mauguière and J. Pernier (France)	433
Brain-stem monitoring. II. Preterminal BAEP changes observed until brain death in deeply comatose patients (EEG 01900)	
by L. Garcia-Larrea, O. Bertrand, F. Artru, J. Pernier and F. Mauguière (France)	446
Brain mechanism of selective listening reflected by event-related potentials (EEG 01944)	
by K. Alho, K. Töttölä, K. Reinikainen, M. Sams and R. Näätänen (Finland)	458

SHORT COMMUNICATIONS

Plasticity of monocular and binocular vision following cerebral blindness: evoked potential evidence (EEG 03075) by I. Bodis-Wollner and L. Mylin (U.S.A.)	70
Short-latency somatosensory evoked potentials in brain-dead patients (EEG 03229) by J.M. Belsh and S. Chokroverty (U.S.A.)	75
Developmental wave form analysis of the neonatal flash evoked potential (EEG 01888) by O.H. Stanley, P.J. Fleming and M.H. Morgan (U.K.)	149
Normal temporal variability of the P100 (EEG 03276) by B.S. Oken, K.H. Chiappa and E. Gill (U.S.A.)	153
Pattern-reversal auditory evoked potential (EEG 03248) by J.D. Durrant (U.S.A.)	157
The relationship of the latency of the visual P100 wave to gender and head size (EEG 03275) by A.N. Guthkelch, D. Bursick and R.J. Scabassi (U.S.A.)	219
Changes in the VEP in preterm neonates with arousal states, as assessed by EEG monitoring (EEG 03234) by H.E. Whyte, J.M. Pearce and M.J. Taylor (Canada)	223
Selectivity of attenuation (i.e., gating) of somatosensory potentials during voluntary movement in humans (EEG 03284) by M.C. Tapia, L.G. Cohen and A. Starr (U.S.A.)	226
Effect of stimulus intensity variation on brain-stem auditory evoked potentials: comparison between neonates and adults (EEG 01916) by L. Collet, C. Delorme, J.M. Chanal, C. Dubreuil, A. Morgon and B. Salle (France)	231
High-pass filter settings affect the detectability of MLRs in humans (EEG 03207) by N. Kraus, N. Reed, D.I. Smith, L. Stein and C. Cartee (U.S.A.)	234
The effect of inferior colliculus lesions on auditory evoked potentials (EEG 01945) by D.M. Caird and R. Klinke (F.R.G.)	237
Normal latency values of early cortical somatosensory evoked potentials in children (EEG 01954) by Y. Zhu, M. Georgesco and J. Cadilhac (France)	471
The effects of carbamazepine and sodium valproate on SEPs and BAEPs (EEG 01995) by E. Mervaala, T. Keränen, P. Tiihonen and P. Riekkinen (Finland)	475
Brain-stem auditory evoked response (BAER): normative study in children and adults (EEG 03360) by J. Thivierge and R. Côté (Canada)	479

BOOK REVIEW

Evoked potentials edited by R.Q. Cracco and I. Bodis-Wollner	79
<i>Index of Authors to Volume 68, 1987</i>	485
<i>Index of Subjects to Volume 68, 1987</i>	489
<i>Table of Contents to Volume 68, 1987</i>	493